



OFFICE

ATMOSPHERE

TECHNICAL



//// Lamps

//// Contents

Philosophy P 3

Visual comfort = Well-being P 4

Office lighting

FOR OPEN SPACES, PRIVATE OFFICES, MANAGER OFFICES...

Lamps P 6 to 11
Uplighters P 15 to 17
Other supplies P 17

Atmospheric lighting

FOR HOTELS, RESTAURANTS, TOURIST RESIDENCES...

Lamps and uplighters P 12
Wall lamps and floor lamps P 13
Pendant lamps P 13

Technical lighting

FOR PRECISION AND ARTISTIC ACTIVITIES: WATCH MAKING, MODEL MAKING ...

Lamps P 14

Dimensions and technical features P 18 to 19

The + points of
our products
highlighted with
pictograms



Asymmetric lighting



Tactile switch



Dimming of the light



Automatic switch-off
after 5 hours without use

//// 2 Collections

more than
200 lighting
products

Innovative, high-performance, design and ergonomic products that comply with the standards and respect the environment

A concrete environmental commitment

Safe products

French designers and manufacturers

join their ranges to offer you a very large choice of lamps and uplighters.

Our scope:

- > Tertiary sector: offices, manager offices, open spaces, reception areas, meeting rooms...
- > Atmosphere: Hotels, restaurants, tourist residences, private individuals...
- > Precision, technical and artistic activities: medical activities, watch making, model making...

One single production site = flexibility and reactivity

Designed by:

- > Our Research & Development department
- > Renowned designers
- > Our Sustainable Development engineer

with the recommendations of ergonomists, ophtalmologists and the industrial medicine.



> **Implementation of an eco-design approach in order to reduce the environmental impact of our products already at the design stage while using the EIME software.**

That tool enables to assess the environmental impact of a product throughout its life regarding 11 environmental criteria. We provide our customers with the Product Environmental Profile (PEP) of our lighting products.

Environmental diagnosis

The smaller the red zone is, the lower the environmental impact is.




LED lamps



FLUORESCENT lamps



HALOGEN lamps



> **We actively promote the use of fluorescent and/or LED lighting sources**, which are far the ones that consume the least energy, the most ecofriendly and those enjoying the longest lifespan.



Our lighting products have received the ENEC certification: European Norms for Electrical Certification, awarded by an authorized and independent body assuring the safety of our products.



//// Visual comfort = Well-being

Our product + points for an optimal lighting

Eyesight, a sense we should pamper! 80% of our perception of outside information come from the sight.


Our need of light vary with age: A person who is 45 will need **twice as much light as a person who is 20.**

This means that a good lighting plays an essential role in our everyday well-being, and avoids eyestrain which is source of headaches.

Our lighting products comply with the recommendations of the office lighting and ergonomics standards:

Standard NF EN 12464-1: Requirements for the lighting of working spaces

Standard NF X35103: Principles of visual ergonomics to be applied to the lighting of working spaces.



> **500 lux on the working surface:** the desk lamp enables to get the required level without lighting the whole room too much.

> Avoiding any glare and any too important contrast: **Desk lamps with asymmetrical lighting** neutralize glares, allow for a wider area to be lit and therefore limit the contrasts on the desk, preventing permanent eye adaptation.

Our lamps with asymmetrical lighting are indicated with the pictogram





> An optimal Colour Rendering Index: > 80

The Colour Rendering Index CRI measures the ability of the light given out by the source to faithfully reproduce the colour of an objet.

> A colour temperature said warm: 2700 – 3400 Kelvin

The colour temperature informs about the ambience of the lit space.







> The head of the lamp should ideally be placed 40 cm above the working surface. **Our range includes lighting products with various arm lengths and various fixing devices in order to be adapted to all kinds of desk.**

> **Ergonomic uplighters** with direct and indirect lighting equipped with anti-glare diffusers.




A range of innovative and quality LED lamps

- > Power and lighting LEDs with a lifespan of 40 000 hours with constant luminous efficacy.
- > **Without any health danger:** All our LED lamps have a colour temperature said warm, between 3000 and 3200 Kelvin, without peak of blue in their spectral curve.



- > Many lamps are equipped with a **tactile dimmer*-switch**  
*Dimming of the light intensity and memorizing of the intensity adjustment
- > **Automatic switching off** after 5 hours without use 
- > Unique on the market: 3 lamps with motion detector = switching off after 15 mn without motion detected

Choosing the most economical lamp

SOURCE	Average buying cost	Lighting quality	Electric consumption	Life span	Weak emission of heat	Respect of the environment
 FLUORESCENT	★★	★★★★	★★★★	★★★★	★★★★	★★★★
 HIGH POWER LED	★	★★★★	★★★★★	★★★★★	★★★	★★★★
 HALOGEN	★★★	★★	★★★	★★	★★	★★

Most of our **fluorescent lamps and uplighters** are equipped with **electronic management systems** that consume up to 35% less power than the classical systems. Those classical systems will be withdrawn from the market in the year 2016 in accordance with the directives of the EUP 2005/32/EC (Energy Using Products) standard.

//// Desk lamps



FOR OPEN SPACES, PRIVATE OFFICES, MANAGER OFFICES...

LED SOURCE



NAO

Ref EU 100340400 / Ref UK 100340995 - Black
260 Lumens



SPHERE

Ref EU 400017765 - Apple green
270 Lumens



SCOPIA

Ref EU 100340937 - Metal Grey
415 Lumens



DISC

Ref EU 100340421 / Ref UK 100340422 - Black Metal grey
288 Lumens



MISTRALED

Ref EU 100340164 - Black
420 Lumens



Motion detector:
Automatic switching
off after 15 min

Specially designed
for Computer Work

ERGLIGHT

Ref EU 100340991 / Ref UK 100341003 - Black
390 Lumens



SENZA

Ref EU 100340401 / Ref UK 100340402 - Metal grey
Available on clamp
330 Lumens



Asymmetric Lighting



Tactile Switch



Light Variation



Automatic Cut-off after 5h without use

//// Desk lamps



FOR OPEN SPACES, PRIVATE OFFICES, MANAGER OFFICES...

LED SOURCE



INFINITY

Ref EU 100340441 - Green
390 Lumens



Motion detector:
Automatic switching off
after 15 min

SENSATION

Ref EU 100340449 / Ref UK 100340450 - Black
330 Lumens



CAP

Ref EU 100340417 - Black Metal grey
Available on clamp
330 Lumens



LO FLOWZEN

Ref EU 100340948 - Metal grey Grey head
Available on clamp and with a double arm
510 Lumens




MAGIC

Ref EU 400016681 / Ref UK 400016683 - Black
Available on clamp
390 Lumens



ULVA

Ref EU 400012753 / Ref UK 400014827 - Black Metal grey
400 Lumens



Hi FLOWLED

Ref EU 100340434 - White
Available on clamp and with a single arm
330 Lumens



BAIA

Ref EU 400023550 / Ref UK 400023551 - White
Available on clamp
470 Lumens



Very good
colour rendering
index: IRC 93



INNOVATION

Ref EU 100340455 - Red
330 Lumens



Colour
and intensity
variation

//// Desk lamps



FOR OPEN SPACES, PRIVATE OFFICES...

LED AND FLUORESCENT SOURCES



MAMBO
Ref EU 100340220 - Black
Available on clamp
870 Lumens



SWINGO
Ref EU on base 100340212 / on clamp 100340209 - Black
Ref UK 100340213 on base / on clamp 100340210 - Black
2 extra fixing systems available
900 Lumens

Supplied with base or clamp
Electronic ballast: 30% energysaving



TUBE
Ref EU 100340357 - Metal grey
1000 Lumens

Electronic ballast: 30% energysaving



ALTARIUS
Ref EU 100340398 / Ref UK 100340399 - Black Metal grey
900 Lumens



BRIO
Ref EU 100340358 / Ref UK 100340359 - Black
900 Lumens



DAUPHIN
Ref EU 100340390 / Ref UK 100340391 - Metal grey Black
1200 Lumens

Electronic ballast: 30% energysaving



ALLIANCE
Ref EU 100340394 - Black Beech
900 Lumens



TERTIO
Ref EU 400020348 / Ref UK 400020349 - Black
900 Lumens

Electronic ballast: 30% energysaving



Asymmetric Lighting



Tactile Switch



Light Variation



Automatic Cut-off after 5h without use

//// Desk lamps



FOR OPEN SPACES, PRIVATE OFFICES, MANAGER OFFICES...

FLUORESCENT SOURCE



TANGO

Ref EU 100340318 - Grey Burgundy
900 Lumens




BIO

Ref EU 100340368 / Ref UK 100340369 - Black
900 Lumens



EXTREMO

Ref EU 100340420 / Ref UK 100341033 - Black
Available on clamp
900 Lumens



Recommended by the Ophthalmologists
Electronic ballast: 30% energysaving



AERO

Ref. 100340291 - Metal grey Grey head
Available on clamp
1200 Lumens



Recommended by the Ophthalmologists
Electronic ballast: 30% energysaving



LO FLOWFL

Ref EU 100340301 - Metal grey Grey head
Available on clamp and with a double arm
1200 Lumens



Recommended by the Ophthalmologists
Electronic ballast: 30% energysaving



ILUX

Ref EU 100340353 - Metal grey Grey head
Available on clamp
1200 Lumens



Recommended by the Ophthalmologists
Electronic ballast: 30% energysaving

DUO

Ref EU 100340376 / Ref UK 100340377 - Black
Available on clamp
2x600 Lumens



2 intensities

//// Desk lamps



FOR OPEN SPACES, PRIVATE OFFICES, MANAGER OFFICES...

HALOGEN SOURCE



ANNEAU

Ref EU 100340167 - Black
750 Lumens



JOKER

Ref EU 100340174 / Ref UK 100340175 - Black
900 Lumens



DOMINO

Ref EU 100340186 - Grey Wenge
900 Lumens



ALLIANCE

Ref EU 100340200 - Black Cherry wood
910 Lumens



FLEXY

Ref EU 100340169 / Ref UK 100340170 - Black
910 Lumens



VEGA

Ref EU 100340171 - Black
910 Lumens




ALLEGRO

Ref EU 100340195 - Black
910 Lumens



HIFLOWHAL


Ref EU 100340284 - Metal grey Grey Head
Available on clamp and with a single arm
1700 Lumens



Asymmetric Lighting



Tactile Switch



Light Variation



Automatic Cut-off after 5h without use

//// Lamps with lampshade



FOR OFFICES, RECEPTION AREAS, ...

FLUORESCENT SOURCE



FLEXIO

Ref EU 100340498 / Ref UK 100340499 -
Metal grey
700 Lumens



LADYBIRD

Ref EU 100340507 / Ref UK 400016975 - Black
700 Lumens



FLEXIBLE

Ref EU 100341070 - Black
700 Lumens



FLUOCOLOR

Ref EU 100340394 - Orange
700 Lumens



CHEVET

Ref EU 100340129 - Beech
700 lumens



AMBIANCE

Ref EU 100340149 - Orange
1450 Lumens

Telescopic Post



DECO

Ref EU 100341047 - Mahogany
1450 Lumens



Touch Operated

CRISTAL

Ref EU 100340133 / Ref UK 100340135 -
Metal grey Chromium plated Frosted glass
2x450 Lumens

//// Lamps with lampshade



FOR OFFICES, RECEPTION AREAS, ...

LED AND FLUORESCENT SOURCES



FLUO Source

INCLINEA (Lamp)

Ref EU 100340160 - Brushed steel,
White lampshade
1450 Lumens



FLUO Source

INCLINEA (Uplighter)

Ref EU 100340556 - Brushed steel,
White lampshade
1450 Lumens



New
LED Source

INCLINEA

Ref EU 400032358 Lamp / 400032380 Uplighter
810 Lumens



Tactile lamp

SONATE

Ref EU 100340155 - Wenge
2x1450 Lumens



LED / 2 lighting positions:
Mood Light and
Reading Light
/ Reading Light only

ELIDI

Ref EU 400031942 - Grey lampshade
Possibility to clothe the lampshade with different fabrics
Equip'Hôtel Innovation Awards Winner 2012
750 Lumens



Bulb not included

KOME T (Lamp)

Ref EU 400013707 - Polished stainless steel
and Black lampshade
Socket: E27



Bulb not included

KOME F (Uplighter)

Ref EU 400013704 - Polished stainless steel
and Black lampshade
Socket: E27



Bulb not included

BIANKA T (Lamp)

Ref EU 400013703 - Polished stainless steel
and White lampshade
Socket: E27



Bulb not included

BIANKA F (Uplighter)

Ref EU 400013708 - Polished stainless steel
and White lampshade
Socket: E27



Asymmetric Lighting



Tactile Switch



Light Variation



Automatic Cut-off after 5h without use

//// Wall lamps, reading lamps...



FOR HOTELS, RESTAURANTS, PRIVATE INDIVIDUALS...

LED AND FLUORESCENT SOURCES



LED / 2 lighting positions: Fill Light and Reading Light / Reading Light only

ELIDI

Ref 400031948 - Grey Lampshade

Possibility to clothe the lampshade with different fabrics

Equip'Hôtel Innovation Awards Winner 2012

750 Lumens



| Bulb not included

KOME W

Ref 400013706 - Polished stainless steel and Black lampshade

Socket: E14



| Bulb not included

BIANKA W

Ref 400013709 - Polished stainless steel and White lampshade

Socket: E27



| Bulb not included

BIANKA S

Ref 400013760 - Polished stainless steel and White lampshade

Socket: 3xE27



| Fitted with a LED / leather finish

FLEXIBLE READING LAMP

Ref 100340542 - Black / 100340545 Chromium plated / 100340548 - Brass
105 Lumens



| Fitted with a LED / leather finish

FLEXIBLE READING LAMP

Ref 400023852 - Beige
105 Lumens



| Fitted with a LED

HEADBOARD READING LAMP

Ref 400014954 - Right / 400014951 - Left
110 Lumens



WALL LAMP

Ref 100340263 - Metal grey
1325 Lumens



AMBILUX

Ref EU 100340271 / Ref UK 100340272 - Metal grey
950 Lumens

//// Technical lamps



FOR ARTISTIC AND PRECISION ACTIVITIES

FLUORESCENT AND LED SOURCES



MINI ZOOM

Ref EU 100340264 / Ref UK 100340265 - White
850 Lumens



ZOOM

Ref EU 100340267 / Ref UK 100340268 - White
1800 Lumens

Supplied with clamp /
6 optional fixing
systems available



Supplied with
clamp

FLEXY ZOOM

Ref EU 100341065 - Black
1800 Lumens



Supplied with clamp /
5 optional fixing
systems available

MAXIZOOM

Ref EU 100341064 - White
2x600 Lumens



Supplied with clamp /
4 optional fixing
systems available

TERTIO FLEX

Ref EU 100340367 - Black
900 Lumens



Supplied with clamp /
5 optional fixing
systems available

TECHNIC

Ref EU 100341066 - Black
3x1230 Lumens



Motion
detector:
Automatic
switching off
after 15 min

LED Source

SENSAFLEX

Ref EU 100341068 - Black
Adaptable on a rail / on an axis
330 Lumens



Asymmetric Lighting



Tactile Switch



Light Variation



Automatic Cut-off after 5h without use

//// Office Uplighters



FOR OFFICES, MEETING ROOMS, RECEPTION AREAS...

HALOGEN SOURCE



FIRST

Ref EU 100340557 / Ref UK 100340558 - Black
5060 Lumens



ARTICULATED FIRST

Ref EU 100340570 / Ref UK 100340571 - Black
5060 Lumens



CRISTALIA

Ref EU 100340573 / Ref UK 100340574 -
Metal grey Chromium plated and Frosted glass
5060 Lumens



APPOLIA

Ref EU 100340562 - Black
9200 Lumens



APPOLIA WOOD

Ref EU 100340564 - Metal grey Beech
9200 Lumens



ARTICULATED APPOLIA

Ref EU 100340568 - Black
9200 Lumens



APPOLIA BOWL

Ref EU 100340575 - Black
9200 Lumens

Office Uplighters



FOR OFFICES, MEETING ROOMS, RECEPTION AREAS...

FLUORESCENT SOURCE



CIRCOLUX
Ref EU 100340576 - Black
1900 Lumens



CIRCOBOIS
Ref EU 100340608 - Black Cherry wood
1900 Lumens



PRIMA
Ref EU 100340577 - Metal grey Black
4x1450 Lumens



VARIALUX
Ref EU 100340598 - Black
4800 Lumens



ARTICULATED VARIALUX
Ref EU 100340606 - Metal grey
4800 Lumens



VARIAGLASS
Ref EU 100340602 / Ref UK 100340603 - Metal grey White frosted glass
4800 Lumens



ULTIMATE
Ref EU 100340607 - Brushed steel
4800 Lumens



Asymmetric Lighting



Tactile Switch



Light Variation



Automatic Cut-off after 5h without use

Office Uplighters



FOR OFFICES, MEETING ROOMS, RECEPTION AREAS...

FLUORESCENT AND LED SOURCES



Recommended by Ergonomists
Direct-indirect lighting

EVIDENCE

Ref EU 100340588 - With clamp - 2x55 W Metal grey
Available on base and with 2x80 W
2x4800 Lumens



ECO-CITIZEN
With Dimmer

EVIDENCE WITH OPTION

Ref EU 100340924 - On base - 2x80 W - Metal grey
Available on base and with 2x55 W
2x6000 Lumens



Recommended by Ergonomists
Direct-indirect lighting

PRESENCE

Ref EU 100340593 - With base - 2x55 W Metal grey
Available either with 2x80 W or 4x55 W
2x4800 Lumens



With motion detector and Dimmer*

PRESENCE WITH OPTION

Ref EU 100340461 - On base - 2x80 W Metal grey
Available either with 2x55 W or 4x55 W
2x6000 Lumens




*Intensity variation according to the daylight



ECO-CITIZEN
LED source

NEXUS

Ref EU 400022757 - Metal grey
1880 Lumens



Direct-Indirect Lighting / LED source
LED source

MODULED

Ref. EU 400032355 - Metal grey
Available with clamp
Possibility to switch on 2 or 3 LED panels
1950 Lumens

OTHER SUPPLIES

VARIOUS FLUO AND HALOGEN SOURCES



Plays and charges iPod and Iphone

iHOME

Ref EU 100340521 - White
1 surround soundspeaker 5 W
470 Lumens



Plays and charges iPod and Iphone

iHOME

Ref EU 100340522 - Black
4 surround soundspeaker 3 W
860 Lumens



6 LED Candles

LED CANDLES SET

Ref EU 100340839
Supplied with a battery charger: may be charged around 500 times

DESIGNATION	DIMENSIONS IN CM	SOCKET	WATTS	LUMENS	LM/W*	COLOUR TEMPERATURE	SOURCE'S LIFE SPAN** (YEARS)	ENERGY CLASS	ORIGIN
PAGE 6 / LED LAMPS									
NAO	Base Ø 20 - Head 10,5 - Arm 40+36		4	260	65	3100	40	A	
SPHERE	Base Ø 15 - Head Ø 11 - Arm 61		4,6	270	59	3000	40	A	
SCOPIA	Base 20x13 - Head 47 - Arm 38 - Height maxi 48		5	415	83	3000	20	A+	
DISC	Base Ø 15 - Head Ø 10 - Arm 58		3,3	288	87	3050	40	A+	
MISTRAL	Base 22,5x7 - Head 18x5 - Arm H26,5xL74		7,2	420	58	3100	40	A	
ERGOLIGHT	Base 15x28 - Head 26,5x4,5 - Arm 51,3x54,7 maxi		4,8	390	81	3100	40	A+	
SENZA	Base Ø 20 - Head Ø 20 - Arm 40+40		4,8	330	69	3100	40	A	
PAGE 7 / LED LAMPS									
INFINITY	Base Ø 23,5 - Head 15 - Arm 60		4,8	390	81	3100	40	A+	
SENSATION	Base 17,5x14,3 - Head 17x6,6 - Arm 55		4,2	330	79	3100	40	A+	
CAP	Base 21x14 - Head 11x7,5 - Arm 40+40		4,8	330	69	3100	40	A	
LOFLOWZEN**	Base 25x23+H12 - Head 15 - Arm 46		9,2	510	55	3100	40	A	
MAGIC	Base 18x18 - Head 11x11 - Arm 41+41		4,8	390	81	3100	40	A+	
UMA	Base Ø 18 - Head Ø 12 - Arm 53		5,5	400	73	4500	20	A	
HIFLOWLED**	Base 24x15+H12 - Head 16x5 - Arm 45+38		4,2	330	79	3100	40	A+	
BAIA	Base Ø 18 - Head 11,5x7 - Arm 41+41		5,1	470	92	3100	40	A+	
INNOVATION	Base Ø 22 - Head 12,8x8,4 - Arm H46xL84,3		4	330	83	3100/6600	40	A+	
PAGE 8 / LED AND FLUORESCENT LAMPS									
MAMBO	Base 20 - Head 31x8 - Arm 61	G23	11	870	79	3000	6	B	
SWINGO	Base Ø 20 - Head 32 - Arm 40+36	2G7	11	900	82	3000	10	A	
TUBE	Base Ø 19 - Head 70 - Arm 43+70	T5 G5	13	1000	77	4000	7	A	
ALTARIUS	Base 18 - Head 30 - Arm 67	G23	11	900	82	3000	10	B	
BRIO	Base 24x16xH9,5 - Head 31 - Arm 47	G23	11	900	82	3000	10	B	
DAUPHIN	Base 24,5 - Head 27 - Arm 58,5	E27	20	1152	58	3000	6	A	
ALLIANCE	Base Ø 16,5xH16,5 - Head 30x6,5 - Arm 47	G23	11	900	82	3000	10	B	
TERTIO	Base 20x20xH10 - Head 33x6,5 - Arm 48	2G7	11	900	82	3000	12	A	
PAGE 9 / FLUORESCENT LAMPS									
TANGO	Base Ø18xH15 - Head 30 - Arm 48	G23	11	900	82	3000	10	A	
BIO	Base 24x3,5xH9,5 - Head 33x6,5 - Arm 47	2G7	11	900	82	3000	12	A	
EXTREMO	Base 25+H15 - Head 34x10 - Arm 47	2G7	11	900	82	3000	12	A	
AERO	Base 25x23 - Head 25x21 - Arm 40+33	G24Q2	18	1200	67	3000	10	A	
LOFLOWFL**	Base 25x23+H12 - Head 25x21 - Arm 46	G24Q2	18	1200	67	3000	10	A	
ILUX	Base 25x21+H15 - Head 26x22 - Arm 47	G24Q2	18	1200	67	3000	10	A	
DUO	Base 25x21+H15 - Head 26x21 - Arm 47	2G7	2X9	1200	67	3000	10	A	
PAGE 10 / HALOGEN LAMPS									
ANNEAU	Base Ø 14 - Head Ø 11 - Arm 47	G9	48	750	16	2900	2	C	
JOKER	Base Ø 15 - Head Ø 11 - Arm 53	GY6.35	35	900	26	2900	4	B	
DOMINO	Base Ø 15 - Head Ø 11 - Arm 53	GY6.35	35	900	26	2900	4	B	
ALLIANCE	Base Ø 16,5x H16,5 - Head 13x7,5 - Arm 47	GY6.35	50	910	18	2900	2	C	
FLEXY	Base Ø 15 - Head Ø 9 - Arm 53	GY6.35	50	910	18	2900	2	C	
VEGA	Base 23,5 - Head 16 - Arm 54	GY6.35	50	910	18	2900	2	C	
ALLEGRO	Base 15 x H8 - Head Ø 15x7,5 - Arm H22xL72	GY6.35	50	910	18	2900	2	C	
HIFLOWHAL**	Base 25x23+H12 - Head 15 - Arm 45+38	GY6.35	65	1700	26	3000	4	C	
PAGE 11 / FLUORESCENT LAMP SHADE LAMPS									
FLEXIO	Base Ø 15,4 - Head Ø 13,3 - Arm 33	E27	12	700	58	3000	6	A	
LADYBIRD	Base Ø 18 - Head Ø 14 - Height 53	E27	12	700	58	3000	6	A	
FLEXIBLE	Base Ø 6 - Head Ø 17 - Height 39,5	E27	12	700	58	3000	6	A	
FLUOCOLOR	Base 22,5 - Head 15,7x13,5 - Arm 49,5	E27	12	700	58	3000	6	A	
CHEVET	Lampshade Ø 30/15,5 - Height 42	E27	12	700	58	3000	6	A	
AMBIANCE	Lampshade Ø 22/12x27,5 - Height 64 à 82	E27	23	1450	63	2700	10	A	
DECO MAHOGANY	Lampshade Ø 48 - Height 59	E27	23	1450	63	2700	10	A	
CRISTAL	Base Ø 19 - Lampshade Ø 42 - Height 47	E14	2x9	2x450	50	3000	10	A	
BLACK CURVE	Base Ø 23 - Head 13 - Arm 50 à 90	E14	12	650	54	3000	6A		

* Luminous Efficacy Lm/W

** Light source's lifetime: calculation based on a consumption of 1.000 hours/year



*** Flow lamps Range: available with a single arm (Lo Flow) or with a double arm (Hi flow), on base or with a clamp

CRI (COLOUR RENDERING INDEX)

LED Lamps: CRI>80 (except Baia lamp: CRI=93)

Fluorescent Lamps: CRI>80

Halogen Lamps: CRI: 100



DESIGNATION	DIMENSIONS IN CM	SOCKET	WATTS	LUMENS	LM/W*	COLOUR TEMPERA- TURE	SOURCE'S LIFE SPAN** (YEARS)	ENERGY CLASS	ORIGIN
PAGE 12 / FLUORESCENT AND LED LAMP SHADE LAMPS AND UPLIGHTERS									
INCLINEA - Lamp	Base Ø 19 - Lampshade Ø25x22,5 - Height 67 maxi	E27	23	1450	63	2700	10	A	
INCLINEA - Uplighter	Base Ø 28 - Lampshade Ø35x29- Height 158 maxi	E27	23	1450	63	2700	10	A	
INCLINEA LED - Lamp	Base Ø 19 - Lampshade Ø25x22,5 - Height 67 maxi	E27	12	810	68	3000	15	A	
INCLINEA LED - Uplighter	Base Ø 28 - Lampshade Ø35x29 - Height 158 maxi	E27	12	810	68	3000	15	A	
SONATE	Base 30x11 - Lampshade 50x22,5x20 - Height 45	E27	2x23	2x1450	63	2700	10	A	
ELIDI	Base 15x15 - Lampshade Ø21/Ø11 - Height 50		10,5	750	72	3100	40	A+	
KOME T - Lamp (without bulb)	Base Ø 20 - Lampshade Ø36/Ø33x19 - Height 56,2	E27							
KOME F - Uplighter (without bulb)	Base Ø 29 - Lampshade Ø42/Ø38x22 - Height 158	E27							
BIANKA T - Lamp (without bulb)	Base 28x12 - Lampshade 39x2x21 - Height 59,4	E27							
BIANKA F - Uplighter (without bulb)	Base 32x15 - Lampshade 40x23x21 - Height 156,6	E27							
PAGE 13 / LED AND FLUORESCENT WALL LIGHTS AND READING LAMPS									
ELIDI LED - Wall Lamp	Lampshade Ø21/Ø11 - Height 37		10,5	750	72	3100	40	A+	
KOME W - Wall light (without bulb)	Lampshade Ø 20 - Base Ø 12 - Height 28,5	E14							
BIANKA W - Wall light (without bulb)	Lampshade 27x14x13,5 - Base 18x8 - Height 25	E27							
BIANKA S - Suspension (without bulb)	Lampshade 27,5x14 - Height 322,5 - Length 113	E27							
LED HEADBOARD LAMP	Module 23x8,5xP5,2		3	110	37	3000	30	A	
FLEXIBLE READING LAMP (Headboard version) LED	Arm 52 - Head Ø2,5x7		3	105	35	3000	30	A	
FLEXIBLE READING LAMP (wall version) LED	Arm 52 - Base 9,5x9,5 - Head Ø2,5x7		3	105	35	3000	30	A	
WALL LIGHT	Module 36x36x10	E27	2x23	1325	29	4000	6	A	
AMBILUX	Module 58x8,5x3,5	T5 G5	13	950	73	4000	7	A	
PAGE 14 / LED AND FLUORESCENT LAMPS									
SUCCESS 105 cm	Base Ø 20 - Head Ø 20,5x19 - Arm 105	E27	23	1380	60	3000	8	A	
MINI ZOOM	Head Ø 15,5 - Arm 30	T4 G10Q	12	850	71	6400	8	A	
ZOOM	Head Ø 20 - Arm 100	G10Q	22	1800	82	6400	8	A	
FLEXY ZOOM	Head Ø 20 - Arm 50	G10Q	22	1800	82	6400	8	A	
MAXI ZOOM	Head 28x21,5x3,5 - Arm 100	2G7	2x9	2x600	67	6400	12	A	
TERTIO FLEX	Head 33x6,5 - Arm 79	2G7	11	900	82	3000	12	A	
TECHNIC	Head 60x7x10 - Arm 90	T5 G5	3x14	3x1230	88	6400	12	A+	
SENSAFLEX	Head 17x6,6 - Arm 80		4,2	330	79	3100	40	A+	
PAGE 15 / HALOGEN UPLIGHTERS									
FIRST	Base Ø 25 - Bowl Ø 28 - Height 180	R7S	230	5060	22	2900	2	C	
ARTICULATED FIRST	Base Ø 33,5 - Bowl Ø 28 - Height 186 maxi	R7S	230	5060	22	2900	2	C	
CRISTALIA	Base Ø 31 - Bowl 42x21 - Height 184	R7S	230	5060	22	2900	2	C	
APPOLIA	Base Ø 34 - Bowl Ø 31 - Height 186	R7S	400	9100	23	3000	2	C	
APPOLIA WOOD	Base Ø 34 - Bowl Ø 31 - Height 186	R7S	400	9100	23	3000	2	C	
ARTICULATED APPOLIA	Base Ø 34 - Bowl Ø 31 - Height 186	R7S	400	9100	23	3000	2	C	
APPOLIA BOWL	Base Ø 18,5 - Bowl Ø 31 - Height 14	R7S	400	9100	23	3000	2	C	
PAGE 16 / FLUORESCENT UPLIGHTERS									
PRESTO	Base Ø 30 - Bowl Ø 33 - Füt Ø 2x2 - Height 180	E27	55	4150	76	4000	8	A	
CIRCOLUX	Base Ø 34 - Bowl Ø 37 - Height 186	E27	32	1900	59	4000	8	A	
CIRCOBOIS	Base Ø 34 - Bowl Ø 37 - Height 186	E27	32	1900	59	4000	8	A	
PRIMA	Base Ø 34 - Bowl 43x29,5x16 - Height 190	E27	4x23	4x1450	63	2700	10	A	
VARIALUX	Base Ø 34x3,6 - Bowl Ø 36x6 - Height 180	G10Q	65	4800	74	4000	10	A	
ARTICULATED VARIALUX	Base Ø 34x3,6 - Bowl Ø 36x6 - Height 180	G10Q	65	4800	74	4000	10	A	
VARIAGLASS	Base Ø 34x3,6 - Bowl Ø 36x6 - Height 180	G10Q	65	4800	74	4000	10	A	
ULTIMATE	Base Ø 28 - Bowl Ø 34 - Height 180	G10Q	65	4800	74	4000	10	A	
PAGE 17 / FLUORESCENT AND LED UPLIGHTERS									
EVIDENCE	Base 50x32 - Bowl 72x30 - Height 195	2G11	2x55	2x4800	87	3000	10	A	
EVIDENCE VARIATION	Base 50x32 - Bowl 72x30 - Height 195	2G11	2*80	2x6000	75	3000	10	A	
PRESENCE	Base 43x43x1 - Bowl 61x35x5,2 - Height 183,5	2G11	2x55	2x4800	87	3000	10	A	
PRESENCE OPTION	Base 43x43x1 - Bowl 61x35x5,2 - Height 183,5	2G11	2*80	2x6000	75	3000	10	A	
NEXUS	Base Ø 34 - Bowl 43x29,5x16 - Height 190	E27	4x7,5	1880	63	3000	30	A	
MODULED	Head 61x20,4 - Total height 184,5		37	1950	53	4000	40	A	
HI HOME BLACK	Base Ø 19 - Head Ø 12 - Arm 33 à 51	GY6.35	50	860	17	2900	2	C	
HI HOME WHITE	Base Ø 19, Head Ø 12 - Arm 33 à 51	G9	35	470	13	2900	2	C	
6 LED CANDLES SET	NC							NC	

* Luminous Efficacy Lm/W

** Light source's lifetime: calculation based on a consumption of 1.000 hours/year